

Flash Memory, Parallel NOR, 64 Mbit, 8M x 8bit, CFI, Parallel, TSOP, 48 Pins

| | |
|---------------|---|
| Manufacturers | Infineon Technologies Corporation |
| Package/Case | Tube |
| Product Type | Memory |
| RoHS | |
| Lifecycle | |



Images are for reference only

Please submit RFQ for S29GL064S70TFI040 or [Email to us: sales@ovaga.com](mailto:sales@ovaga.com) We will contact you in 12 hours.

[RFQ](#)

General Description

The S29GL064S70TFI040 is a high-density parallel NOR Flash memory chip organized as 64 million words by 8 bits. It provides non-volatile storage and retrieval of digital data and is designed for high-performance applications.

Features

- 64Mb (8MB x 8) configuration
- High-speed access time
- Sector erase and program operations
- Fast programming time
- Wide voltage range: 2.7V to 3.6V
- Multiple block protection options
- Data retention of 20 years
- RoHS compliant
- Available in a 48-pin TSOP package

Application

- Embedded systems
- Networking devices
- Automotive electronics
- Industrial control systems
- Solid-state drives (SSDs)
- Wireless communication devices



Related Products



[S29GL128S90TFI010](#)

Infineon Technologies Corporation
TSOP-56



[S29GL01GS10TFI010](#)

Infineon Technologies Corporation
TSOP-56



[S29GL128S10TFIV20](#)

Infineon Technologies Corporation
TSOP-56



[S29GL512S11TFI020](#)

Infineon Technologies Corporation
TSSOP-56



[S29GL01GT10TFI010](#)

Infineon Technologies Corporation
56-TFSOP (0.724", 18.40mm Width)



[S29GL256P11TFI010](#)

Infineon Technologies Corporation
TSOP-56



[S29GL064S70TFI020](#)

Infineon Technologies Corporation
56-TFSOP (0.724", 18.40mm Width)



[S29GL256P90FFIR10](#)

Infineon Technologies Corporation
BGA-64