

NOR Flash, 8M x 16, 56 Pin, Plastic, TSSOP

Manufacturers	<a href="#">Intel Corp</a>
Package/Case	TSOP56
Product Type	Memory
RoHS	
Lifecycle	



Images are for reference only

Please submit RFQ for JS28F128J3D-75 or [Email to us: sales@ovaga.com](mailto:sales@ovaga.com) We will contact you in 12 hours.

[RFQ](#)

## General Description

JS28F128J3D-75 is a flash memory chip produced by Intel Corporation. Here are some of its features:

### Features

- Density: 128 Megabits
- Organization: 16 Mwords x 8 bits or 8 Mwords x 16 bits
- Voltage Range: 2.7V to 3.6V
- Access Time: 75 nanoseconds
- Interface: 16-bit or 8-bit multiplexed address/data bus
- Endurance: 100,000 program/erase cycles per block
- Data retention: 10 years

### Application

- AM29LV128ML (AMD)
- S29GL128P (Spansion)
- MT28F128J3 (Micron)
- K9F1G08U0B (Samsung)
- W29GL128P (Winbond)





## Related Products



### [JS28F128J3F75](#)

Intel Corp  
TSOP-56



### [JS28F640J3D-75](#)

Intel Corp  
TSOP-56



### [JS28F128J3D75A](#)

Intel Corp  
TSOP-56



### [JS28F128J3C120](#)

Intel Corp  
TSOP56



### [JS28F128P33B85](#)

Intel Corp  
TSOP-56



### [JS28F128P30T85](#)

Intel Corp  
TSSOP-56



[JS28F320J3D75](#)

Intel Corp

TSOP-56



[JS28F128J3D75](#)

Intel Corp

TSSOP-56