

IC TXRX RS232 5V ESD-PROT 20SOIC

Manufacturers	Analog Devices, Inc
Package/Case	SOP-20
Product Type	Interface ICs
RoHS	
Lifecycle	



Images are for reference only

Please submit RFQ for MAX203EEWP or [Email to us: sales@ovaga.com](mailto:sales@ovaga.com) We will contact you in 12 hours.

[RFQ](#)

General Description

MAX203EEWP is a specific integrated circuit (IC) that is designed and manufactured by Maxim Integrated. It is a low-power, RS-232 and V.28/V.24 communications interface IC that provides a complete serial port suitable for many applications that require data transfer between two devices.

Features

It supports full-duplex communication with data rates up to 120 kbps.

It operates with a low power supply voltage range of 3V to 5.5V.

It has a built-in charge pump circuit that generates a bipolar $\pm 10V$ output signal for driving RS-232 communication lines.

It has a shutdown mode that reduces power consumption to less than $1\mu A$.

It includes a loopback mode for self-test purposes.

It has a low-power shutdown mode, which helps to conserve power when the device is not in use.

Application

MAX202EEWP

MAX205EEWP

MAX232EEWPD


MAX3232EEWPT

MAX338EEWPT

MAX3221EEWPT

MAX3222EEWPT

MAX3237EEWP+



Related Products




[MAX3232EEUE](#)

Analog Devices, Inc
TSSOP-16



[MAX4544EUT+T](#)

Analog Devices, Inc
SOT-23-6



[MAX202CSE](#)

Analog Devices, Inc
SOP-16




[MAX485ECPA](#)

Analog Devices, Inc
DIP-8



[MAX3221EEUE](#)

Analog Devices, Inc
TSSOP-16



[MAX3223EEUE](#)

Analog Devices, Inc
TSSOP-16



[MAX490MJA](#)

Analog Devices, Inc
CDIP-8



[MAX3232EUE](#)

Analog Devices, Inc
TSSOP-16