



Data Sheet

Digital to Analog Converters - DAC IC 8-Bit Buffered Multiplying

Manufacturers Analog Devices, Inc

Package/Case CDIP-20

Product Type Data Conversion ICs

**RoHS** 

Lifecycle



Images are for reference only

Please submit RFQ for 5962-8770102RA or Email to us: sales@ovaga.com We will contact you in 12 hours.

**RFO** 

## **General Description**

The AD7528 is a monolithic dual 8-bit digital/analog converter featuring excellent DAC-to-DAC matching. It is available in skinny 0.3" wide 20-pin DIP's and in 20-terminal surface mount packages.

Separate on-chip latches are provided for each DAC to allow easy microprocessor interface.

Data is transferred into either of the two DAC data latches via a common 8-bit TTL/CMOS compatible input port. Control input DAC A/DAC B determines which DAC is to be loaded. The AD7528's load cycle is similar to the write cycle of a random access memory and the device is bus compatible with most 8-bit microprocessors, including 6800, 8080, 8085, Z80.

The device operates from a +5V to +15V power supply, dissipating only 20mW of power.

Both DAC's offer excellent four quadrant multiplication characteristics with a seperate reference input and feedback resistor for each DAC.

Features	Application
On-Chip Latches for Both DACs	Digital Control of:
DACs Matched to 1%	Gain/Attenuation
Four Quadrant Multiplication	Filter Parameters
TTL/CMOS Compatible	Stereo Audio Circuits
Latch Free (Protection Schottkys not Required)	X-Y Graphics



## **Related Products**



LTC1590CS#PBF
Analog Devices, Inc
SO16



LTC1595ACS8#PBF
Analog Devices, Inc
SOIC-8



LTC1595CCS8#PBF
Analog Devices, Inc
SOIC-8



5962-9312601MXA
Analog Devices, Inc
CDIP28



AD7859LASZ
Analog Devices, Inc
QFP-44



LTC1595BCS8#PBF
Analog Devices, Inc
SOIC-8



LTC1594LIS#PBF

Analog Devices, Inc SSOP-24



LTC1598IG#PBF

Analog Devices, Inc SSOP-28