

MCP9902T-AE/RW

Data Sheet

<u>RFO</u>

Temperature Sensor IC, Digital, ± 0.25°C, -40 °C, 125 °C, WDFN, 8 Pins

Manufacturers	Microchip Technology, Inc		
Package/Case	WDFN-8		
Product Type	Integrated Circuits (ICs)	10	
RoHS			
Lifecycle		Images are for reference only	
Please submit RFQ for MCP9902T-AE/RW or <u>Email to us: sales@ovaga.com</u> We will contact you in 12 hours. R			
I MASE SUDITILITY OF INTEGED 2702 I - ALTALY OF LITALE OF US, SANS($d/0$ Vaga, COTT WE WIII COLLACT YOU III 12 HOUS,			

General Description

The MCP9902 is a high accuracy, low cost, System Management Bus (SMBus) temperature sensor (shared data sheet with MCP9903 & MCP9904). Advanced features such as Resistance Error Correction (REC), Beta Compensation (to support CPU diodes requiring the BJT/transistor model including 45nm, 65nm and 90nm processors) and automatic diode type detection combine to provide a robust solution for complex environmental monitoring applications.

The MCP9902 monitors two temperature channels (one external and one internal). It provides $\pm 1^{\circ}$ C accuracy for both external and internal diode temperatures.

Resistance Error Correction automatically eliminates the temperature error caused by series resistance allowing greater flexibility in routing thermal diodes. Beta Compensation eliminates temperature errors caused by low, variable beta transistors common in today's fine geometry processors. The automatic beta detection feature monitors the external diode/transistor and determines the optimum sensor settings for accurate temperature measurements regardless of processor technology. This frees the user from providing unique sensor configurations for each temperature monitoring application. These advanced features plus $\pm 1^{\circ}$ measurement accuracy provide a low-cost, highly flexible and accurate solution for critical temperature monitoring applications.

Features

Features

Programmable SMBus Address Support for diodes requiring the BJT/transistor model supports transistor and diode model CPU thermal diodes Automatically determines external diode type and optimal settings Resistance Error Correction External Temperature Monitors 0.125°C resolution Supports up to 2.2nF diode filter capacitor Internal Temperature Monitor 0.125°C resolution 3.3V Supply Voltage

Available in small 8-pin 2mm x 2mm WDFN RoHS compliant package

Related Products

8-Pin MSOP SDA 1 8 V_{DD} SCL 2 V 7 A0 Alert 3 6 A1 GND 4 5 A2 <u>MCP9808T-E/MS</u>

Microchip Technology, Inc MSOP-8



Microchip Technology, Inc VQFN

MCP16502TAC-E/S8B



BM64SPKS1MC1-00M2AA Microchip Technology, Inc SMD Application Remote Radio Unit

Base Station

Industrial

Industrial Freezers

Food Preparation



ATSAMC21G17A-MZTVAO

Microchip Technology, Inc VQFN

MCP16362T-E/NMX



Microchip Technology, Inc VDFN

MCP2517FDT-H/SL



Microchip Technology, Inc SOIC-14





Microchip Technology, Inc SOIC-14



Microchip Technology, Inc VDFN-14

MCP2517FD-H/JHA