

CAN Bus, ISO11898-1, CAN, SPI, 3, 2, 2.7 V, 5.5 V, QFN

Manufacturers	Microchip Technology, Inc
Package/Case	QFN-28
Product Type	Interface ICs
RoHS	
Lifecycle	



Images are for reference only

Please submit RFQ for MCP25625T-E/ML or [Email to us: sales@ovaga.com](mailto:sales@ovaga.com) We will contact you in 12 hours.

[RFQ](#)

General Description

The MCP25625 is a complete, cost-effective and small-footprint CAN solution that can be easily added to a microcontroller with an available SPI interface. The MCP25625 interfaces directly with microcontrollers operating at 2.7V to 5.5V, there are no external level shifters required. In addition, the MCP25625 connects directly to the physical CAN bus, supporting all requirements for CAN high-speed transceivers. The MCP25625 meets the automotive requirements for high-speed (up to 1 Mb/s), low quiescent current, electromagnetic compatibility (EMC) and electrostatic discharge (ESD)

Please see our MikroElektronika click Board! <http://www.mikroe.com/click/mcp25625>

Features

Stand-Alone CAN2.0B Controller with Integrated CAN Transceiver and Serial Peripheral Interface (SPI)

Up to 1 Mb/s Operation

Very Low Standby Current (10 μ A, typical).

Up to 10 MHz SPI Clock Speed


Interfaces Directly with Microcontrollers with 2.7V to 5.5V I/O

Available in SSOP-28L and 6x6 QFN-28L

Temperature Ranges:

Extended (E): -40°C to +125°C





Related Products



[MCP23008T-E/SO](#)

Microchip Technology, Inc
SOIC-18



[MCP2551-I/P](#)

Microchip Technology, Inc
PDIP-8



[MCP2210-I/SO](#)

Microchip Technology, Inc
SOP-20



[MCP23008T-E/ML](#)

Microchip Technology, Inc
QFN-20



[MCP2515T-I/SO](#)

Microchip Technology, Inc
SOIC-18



[MCP2515T-I/ST](#)

Microchip Technology, Inc
TSSOP-20



[MCP2562FDT-H/SN](#)

Microchip Technology, Inc
SOIC-8



[MCP25625-E/SS](#)

Microchip Technology, Inc
SSOP-28