

CMOS Programmable Peripheral Interface 40-Pin PDIP - Rail/Tube

Manufacturers [Renesas Technology Corp](#)

Package/Case 40-DIP (0.600", 15.24mm)

Product Type Interface ICs

RoHS

Lifecycle



Images are for reference only

Please submit RFQ for IP82C55A or [Email to us: sales@ovaga.com](mailto:sales@ovaga.com) We will contact you in 12 hours.

[RFQ](#)

General Description

Features

Pb-Free Plus Anneal Available (RoHS Compliant) (See Ordering Info)

Pin Compatible with NMOS 8255A

24 Programmable I/O Pins

Fully TTL Compatible

High-Speed, No "Wait State" Operation with 5MHz and 8MHz 80C86 and 80C88

Direct Bit Set/Reset Capability


Enhanced Control Word Read Capability

L7 Process

2.5mA Drive Capability on All I/O Ports

Low Standby Power (ICCSB) 10 μ A





Related Products



[IP82C55AZ](#)

Renesas Technology Corp
PDIP-40



[ISL81487EIPZ](#)

Renesas Technology Corp
DIP-8



[HIN232IPZ](#)

Renesas Technology Corp
PDIP-16



[ISL8487EIPZ](#)

Renesas Technology Corp
PDIP-8



[ISL8485EIPZ](#)

Renesas Technology Corp
8PDIP



[ISL8485IPZ](#)

Renesas Technology Corp
8-DIP



[ISL81487LIPZ](#)

Renesas Technology Corp
DIP-8



[ISL81483IPZ](#)

Renesas Technology Corp
8PDIP