

MMIC VCO w/ HALF FREQUENCY OUTPUT & DIVIDE-BY-4, 12.4

Manufacturers	<a href="#">Analog Devices, Inc</a>
Package/Case	QFN32
Product Type	RF Integrated Circuits
RoHS	
Lifecycle	



Images are for reference only

Please submit RFQ for HMC529LP5 or [Email to us: sales@ovaga.com](mailto:sales@ovaga.com) We will contact you in 12 hours.

[RFQ](#)

## General Description

The HMC529LP5(E) is a GaAs InGaP Heterojunction Bipolar Transistor (HBT) MMIC VCO. The HMC529LP5(E) integrates resonators, negative resistance devices, varactor diodes and feature half frequency and divide-by-4 outputs. The VCO's phase noise performance is excellent over temperature, shock, and process due to the oscillator's monolithic structure. Power output is +8 dBm typical from a +5V supply voltage. The prescaler function can be disabled to conserve current if not required. The voltage controlled oscillator is packaged in a leadless QFN 5x5 mm surface mount package, and requires no external matching components.

## Features

Dual Output: = 6.2 - 6.7 GHz

Pout: +8 dBm

Phase Noise: -110 dBc/Hz @ 100 kHz Typ.

No External Resonator Needed

QFN Leadless SMT Package, 25 mm<sup>2</sup>

## Application

VSAT Radio

Point-to-Point/Multi-point Radio

Test Equipment & Industrial Controls

Military End-Use



**Related Products**



[HMC3653LP3BE](#)

Analog Devices, Inc  
QFN-12



[HMC253AQS24](#)

Analog Devices, Inc  
24-SSOP (0.154, 3.90mm Width)



[HMC358MS8GE](#)

Analog Devices, Inc  
MSOP-8



[HMC453ST89E](#)

Analog Devices, Inc  
ST89E




[HMC441LP3E](#)

Analog Devices, Inc  
QFN-16




[HMC948LP3E](#)

Analog Devices, Inc  
LP3



[HMC490](#)

Analog Devices, Inc  
SMD



[HMC618ALP3E](#)

Analog Devices, Inc  
QFN-16