

Quadruple Bus Buffer Gates With 3-State Outputs 14-SOIC -40 to 85

Manufacturers [Analog Devices, Inc](#)

Package/Case DIP24

Product Type Interface ICs

RoHS

Lifecycle



Images are for reference only

Please submit RFQ for MAX235EPG or [Email to us: sales@ovaga.com](mailto:sales@ovaga.com) We will contact you in 12 hours.

[RFQ](#)

General Description

MAX235EPG is an integrated circuit (IC) that belongs to the MAX235 series of RS-232 line drivers/receivers, which are used for serial communication between devices. The MAX235EPG is manufactured by Maxim Integrated and is a 5V-powered device that contains two drivers and two receivers in a single package.

Features


Low power consumption

ESD protection on all inputs and outputs

Shutdown mode to reduce power consumption

Wide operating temperature range (-40°C to +85°C)

Compatible with TIA/EIA-232-F and CCITT V.28 standards



Related Products




[MAX3232EEUE](#)

Analog Devices, Inc
TSSOP-16



[MAX4544EUT+T](#)

Analog Devices, Inc
SOT-23-6



[MAX202CSE](#)

Analog Devices, Inc
SOP-16




[MAX485ECPA](#)

Analog Devices, Inc
DIP-8



[MAX3221EEUE](#)

Analog Devices, Inc
TSSOP-16



[MAX3223EEUE](#)

Analog Devices, Inc
TSSOP-16



[MAX490MJA](#)

Analog Devices, Inc
CDIP-8



[MAX3232EUE](#)

Analog Devices, Inc
TSSOP-16