



Data Sheet

## LOW VOLTAGE RAIL-TO-RAIL OPERATIONAL AMPLIFIERS

Manufacturers ON Semiconductor, LLC PA Package/Case SOP8 Product Type Operational Amplifiers - Op Amps **RoHS** Lifecycle Images are for reference only

Please submit RFQ for MC33202D or Email to us; sales@ovaga.com We will contact you in 12 hours.



## **General Description**

The MC33201/2/4 family of op-amps provides rail-to-rail operation on both the input and output. The inputs can be driven as high as 200mV beyond the supply rails without phase reversal on the outputs, and the output can swing within 50 mV of each rail. This rail-to-rail operation enables the user to make full use of the supply voltage range available. It is designed to work at very low supply voltages (+/- 0.9 V) yet can operate with a supply of up to +12V and ground. Output current boosting techniques provide a high output current capability while keeping the drain current of the amplifier to a minimum. Also, the combination of low noise and distortion with a high slew rate and drive capability make this an ideal amplifier for audio applications.

**Features** Application

Low Voltage, Single Supply Operation (+1.8 V and Ground to +12 V and Ground)

**ONSEMI** 

Input Voltage Range Includes both Supply Rails

Output Voltage Swings within 50 mV of both Rails

No Phase Reversal on the Output for Over-driven Input Signals

High Output Current>

Low Supply Current>

600 W Output Drive Capability

Extended Operating Temperature Ranges (-40°to +105°C and -55°to +125°C)

Typical Gain Bandwidth>

## **Related Products**



**MC33204DR2G** 

ON Semiconductor, LLC SOIC-14



**MC3403DG** 

ON Semiconductor, LLC SOIC-14



**MC33074DR2G** 

ON Semiconductor, LLC

SOIC-14



MC33204DTBR2G

ON Semiconductor, LLC

TSSOP-14



**MC34074ADG** 

ON Semiconductor, LLC SOIC-14



**MC33178P** 

ON Semiconductor, LLC

DIP-8



**MC33201PG** 

ON Semiconductor, LLC

8-PDIP



**MC34074VDG** 

ON Semiconductor, LLC

SOIC-14